	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	1	("5295134").PN.	USPAT; US-PGPUB; EPO; JPO	2004/06/28 10:48			0
2	BRS	L2	6076	(fault fail$4) with revers$4 and @ad<19980817	USPAT; US-PGPUB; EPO; JPO	2004/06/28 10:53			0
3	BRS	L3	527	2 and redundan$4	USPAT; US-PGPUB; EPO; JPO	2004/06/28 13:00			0
4	BRS	L5	5	4 and atm	USPAT; US-PGPUB; EPO; JPO	2004/06/28 13:03			0
5	BRS	L6	451	3 and (signal$3 (data near (connect$3 setup)))	USPAT; US-PGPUB; EPO; JPO	2004/06/28 13:03			0
6	BRS	L7	16	6 and atm	USPAT; US-PGPUB; EPO; JPO	2004/06/28 13:13			0
7	IS&R	L8	1	("5796717").PN.	USPAT; US-PGPUB; EPO; JPO	2004/06/28 13:13			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
8	BRS	L4	87	3 and (signaling (data near (connect$3 setup)))	USPAT; US-PGPUB; EPO; JPO	2004/06/28 14:19			0
9	BRS	L21	12	3 and (signaling (data near (connect$3 setup))) and 370/$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/06/28 14:20			0

	U	1	Document ID	Issue Date	Pages	Title	Current OR
1	☐	☒	US 5295134 A	19940315	15	In-service activator for a broadband exchanger	370/220 ,
2	☐	☒	US 6728205 B1	20040427	59	Method and apparatus for automatic protection switching	370/217 '
3	☐	☒	US 6377543 B1	20020423	62	Path restoration of networks	370/227 '
4	☐	☒	US 6047331 A	20000404	36	Method and apparatus for automatic protection switching	709/239 ,
5	☐	☒	US 5859846 A	19990112	22	Fully-interconnected asynchronous transfer mode switching apparatus	370/395.62
6	☐	☒	US 5796717 A	19980818	17	System for switching from working units to stand-by units	370/216 ,
7	☐	☒	US 5768256 A	19980616	30	Communications system and method providing optimal restoration of failed-paths	370/218 ,
8	☐	☒	US 5719872 A	19980217	42	Reverse path allocation and contention resolution scheme for a broadband communications system	370/487 ,
9	☐	☒	US 4956835 A	19900911	42	Method and apparatus for self-restoring and self-provisioning communication networks	370/228 ,
10	☐	☒	US 4075440 A	19780221	9	Automatic communication system reconfiguration apparatus	370/223 ,
11	☐	☒	US 3859468 A	19750107	27	REDUNDANT DATA TRANSMISSION ARRANGEMENT	370/228 ,